

## Your response

Question	Your response
Q1. Do you have any comments on our proposals relating to improving the clarity of the Code of Practice?	No
Q2. Do you have any comments on our proposals relating to including legislative changes in the Code of Practice?	No
Q3. Do you have any comments on our proposals relating to the definition of 'Site Provider' in the Code of Practice?	No
Q4. Do you have any comments on our proposals relating to contact information in the Code of Practice?	No
Q5. Do you have any comments on our proposals relating to professional fees in the Code of Practice?	No
Q6. Do you have any comments on our proposals relating to responding to a request for access in the Code of Practice?	No
Q7. Do you have any comments on our proposals relating to electromagnetic fields exposure in the Code of Practice?	No
Q8. Do you have any comments on our proposals relating to the sharing and upgrading of apparatus in the Code of Practice?	No
Q9. Do you have any comments on our proposals relating to ADR in the Code of Practice?	No
Q10. Do you have any overarching comments on our proposals for the Code of Practice (included in its entirety in Annex 2 above)?	<p>Yes- The consultation seems to be very targeted; I hope the following comments will be considered:</p> <p>A concern of mine is the lack of acknowledgement for existing trees (or any environmental considerations!). Referenced within the Electronic Communications Code (A2.33) is the need to</p>

	<p>accord to other guidelines of CoP's, with a single example being provided: the Code of Practice for Wireless Network Development in England. A single reference is not that helpful and would be more useful to have a schedule of guidelines and CoP's which require accordance. I request this is considered and includes NJUG guidelines (vol 4 covers trees), as recognised in other similar codes.</p> <p>REASON: Repeat damage to highway tree assets during the installation of electronic communications apparatus with complete disregard or knowledge of NJUG vol 4 (or any general environmental consideration). Whilst we try our best to advise during streetwork applications, this code should provide some input.</p>
--	--

Please complete this form in full and return to [ECCOP@ofcom.org.uk](mailto:ECCOP@ofcom.org.uk).