

# **ICNIRP Measurement Report**

This report presents the results of measurements of electromagnetic field emission levels in the vicinity of mobile base stations. Results are presented as percentages of the power density reference levels for general public exposure in the 1998 edition of the Guidelines published by the International Commission on Non-Ionizing Radiation Protection (ICNIRP)<sup>1</sup>, with figures provided for individual frequency bands used for base station (downlink) transmissions as well as an overall figure for all other frequency bands between 30 MHz to 6 GHz. The total percentage equals the sum of all individual percentages.

The power density reference levels in the ICNIRP Guidelines are the root mean square (rms) values averaged over six minutes. In this report, we have measured the average E-field strength over a six-minute period in each measurement location.

We have applied a measurement threshold of 3dB above the system noise floor<sup>2</sup> of the measurement equipment, below which any E-field strength levels measured are deemed not sufficiently above the system noise floor to be valid. In the results tables below, measurement results are shown to a precision of four decimal places. Results which are not sufficiently above the system noise floor to record as a valid measurement are shown as a dash (-). Results which are too small to register to four decimal places are shown as 0.0000%.

Date of Survey:	15/03/2024	Time Survey completed:	13:28
Survey address:	Blackpool FY4		

Measurement equipment		Serial number	Calibration Date
Meter	Keysight Fieldfox N9915A Spectrum Analyser	MY56072599	25/01/2024
Probe	Agos Aria-6000 Antenna	6000-1024	30/03/2021
Cabling	1.7m cable	1383	12/10/2023

<sup>&</sup>lt;sup>1</sup> <u>https://www.icnirp.org/cms/upload/publications/ICNIRPemfgdl.pdf</u>

<sup>&</sup>lt;sup>2</sup> The noise floor of the measurement equipment is the level of background noise that is present before detecting any external signals. In other words, it indicates the absolute minimum level of detectable signals.

### Broadcast bands covered by this report

Frequency Band	Frequency Range	Technology*
	87.5-108 MHz	FM Radio
	174-230 MHz	DAB
	470-694 MHz	Digital TV

### Mobile bands covered by this report

Frequency Band	Frequency Range	Technology*
700 MHz	738-788 MHz	4G, 5G
800 MHz	791-821 MHz	4G
900 MHz	925-960 MHz	2G, 3G, 4G
1400 MHz	1452-1492 MHz	4G (Supplementary downlink)
1800 MHz	1805-1880 MHz	2G, 4G
1900 MHz	1900-1920 MHz	4G
2100 MHz	2110-2170 MHz	3G, 4G
2300 MHz	2350-2390 MHz	4G
2600 MHz TDD	2570-2620 MHz	4G
2600 MHz FDD	2620-2690 MHz	4G
3.4 GHz	3410-3680 MHz	5G, 4G
3.8 GHz	3680-4200 MHz	Various
Others**		

\* This is an indication of the type of technologies typically deployed in these bands; not all frequency bands and technologies may be in use at all locations. \*\* All other frequencies between 420 MHz and 6 GHz.

## Survey locations

The survey was conducted within the area shown in the map below. Measurements were taken at six locations and are presented in the following pages of this report.



Measurement time:	12:38
Frequency band	Percentage of the ICNIRP reference levels for general public exposure
87.5-108 MHz	0.00913
174-230 MHz	0.01011
470-694 MHz	0.00804
700 MHz	0.00314
800 MHz	0.03761
900 MHz	0.01947
1400 MHz	0.00101
1800 MHz	0.00917
1900 MHz	0.00019
2100 MHz	0.00223
2300 MHz	0.00038
2600 MHz TDD	0.00033
2600 MHz FDD	0.00033
3.4 GHz	0.00223
3.8 GHz	0.00479
Others	0.13810
Total	0.24625

Measurement time:	12:46
Frequency band	Percentage of the ICNIRP reference levels for general public exposure
87.5-108 MHz	0.00970
174-230 MHz	0.01085
470-694 MHz	0.00853
700 MHz	0.00198
800 MHz	0.01702
900 MHz	0.02528
1400 MHz	0.00191
1800 MHz	0.00454
1900 MHz	0.00020
2100 MHz	0.00870
2300 MHz	0.00040
2600 MHz TDD	0.00036
2600 MHz FDD	0.00069
3.4 GHz	0.00241
3.8 GHz	0.00531
Others	0.14830
Total	0.24616

Measurement time:	12:54
Frequency band	Percentage of the ICNIRP reference levels for general public exposure
87.5-108 MHz	0.01002
174-230 MHz	0.01138
470-694 MHz	0.00879
700 MHz	0.00225
800 MHz	0.01340
900 MHz	0.01257
1400 MHz	0.00287
1800 MHz	0.02252
1900 MHz	0.00020
2100 MHz	0.03124
2300 MHz	0.00041
2600 MHz TDD	0.00041
2600 MHz FDD	0.00150
3.4 GHz	0.00242
3.8 GHz	0.00557
Others	0.15365
Total	0.27919

Measurement time:	13:04
Frequency band	Percentage of the ICNIRP reference levels for general public exposure
87.5-108 MHz	0.01030
174-230 MHz	0.01160
470-694 MHz	0.00898
700 MHz	0.00456
800 MHz	0.05836
900 MHz	0.01729
1400 MHz	0.00105
1800 MHz	0.01060
1900 MHz	0.00021
2100 MHz	0.00746
2300 MHz	0.00042
2600 MHz TDD	0.00040
2600 MHz FDD	0.00118
3.4 GHz	0.00262
3.8 GHz	0.00595
Others	0.15944
Total	0.30042

Measurement time:	13:13
Frequency band	Percentage of the ICNIRP reference levels for general public exposure
87.5-108 MHz	0.01061
174-230 MHz	0.01186
470-694 MHz	0.00918
700 MHz	0.00472
800 MHz	0.04941
900 MHz	0.01847
1400 MHz	0.00266
1800 MHz	0.02161
1900 MHz	0.00022
2100 MHz	0.09901
2300 MHz	0.00044
2600 MHz TDD	0.00058
2600 MHz FDD	0.00562
3.4 GHz	0.00274
3.8 GHz	0.00652
Others	0.16323
Total	0.40689

Measurement time:	13:22
Frequency band	Percentage of the ICNIRP reference levels for general public exposure
87.5-108 MHz	0.01079
174-230 MHz	0.01207
470-694 MHz	0.00942
700 MHz	0.00329
800 MHz	0.03497
900 MHz	0.01966
1400 MHz	0.00097
1800 MHz	0.00604
1900 MHz	0.00022
2100 MHz	0.00204
2300 MHz	0.00045
2600 MHz TDD	0.00040
2600 MHz FDD	0.00032
3.4 GHz	0.00276
3.8 GHz	0.00619
Others	0.16838
Total	0.27797

Disclaimer: The results detailed in this report apply only to the tests made at the reported time, using the test equipment detailed. They do not indicate that on another date an identical set of results would be achieved, due to changes in local environmental conditions or other factors which may or may not have an effect on the measurement results obtained at that future time.