

ICNIRP Measurement Report

This report presents the results of measurements of electromagnetic field emission levels in the vicinity of mobile base stations. Results are presented as percentages of the power density reference levels for general public exposure in the 1998 edition of the Guidelines published by the International Commission on Non-Ionizing Radiation Protection (ICNIRP)¹, with figures provided for individual frequency bands used for base station (downlink) transmissions as well as an overall figure for all other frequency bands between 30 MHz to 6 GHz. The total percentage equals the sum of all individual percentages.

The power density reference levels in the ICNIRP Guidelines are the root mean square (rms) values averaged over six minutes. In this report, we have measured the average E-field strength over a six-minute period in each measurement location.

We have applied a measurement threshold of 3dB above the system noise floor² of the measurement equipment, below which any E-field strength levels measured are deemed not sufficiently above the system noise floor to be valid. In the results tables below, measurement results are shown to a precision of four decimal places. Results which are not sufficiently above the system noise floor to record as a valid measurement are shown as a dash (-). Results which are too small to register to four decimal places are shown as 0.0000%.

Date of Survey:	09/09/2024	Time Survey completed:	16:07
Survey address:	Langford SG18		

Measurement equipment		Serial number	Calibration Date
Meter	Keysight Fieldfox N9915A Spectrum Analyser	56072589	23/11/2023
Probe	Agos Aria-6000 Antenna	1023	22/01/2021
Cabling	1.7m cable	1406	23/11/2023

¹ <u>https://www.icnirp.org/cms/upload/publications/ICNIRPemfgdl.pdf</u>

² The noise floor of the measurement equipment is the level of background noise that is present before detecting any external signals. In other words, it indicates the absolute minimum level of detectable signals.

Broadcast bands covered by this report

Frequency Band	Frequency Range	Technology*
	87.5-108 MHz	FM Radio
	174-230 MHz	DAB
	470-694 MHz	Digital TV

Mobile bands covered by this report

Frequency Band	Frequency Range	Technology*
700 MHz	738-788 MHz	4G, 5G
800 MHz	791-821 MHz	4G
900 MHz	925-960 MHz	2G, 3G, 4G
1400 MHz	1452-1492 MHz	4G (Supplementary downlink)
1800 MHz	1805-1880 MHz	2G, 4G
1900 MHz	1900-1920 MHz	4G
2100 MHz	2110-2170 MHz	3G, 4G
2300 MHz	2350-2390 MHz	4G
2600 MHz TDD	2570-2620 MHz	4G
2600 MHz FDD	2620-2690 MHz	4G
3.4 GHz	3410-3680 MHz	5G, 4G
3.8 GHz	3680-4200 MHz	Various
Others**		

* This is an indication of the type of technologies typically deployed in these bands; not all frequency bands and technologies may be in use at all locations. ** All other frequencies between 420 MHz and 6 GHz.

Survey locations

The survey was conducted within the area shown in the map below. Measurements were taken at six locations and are presented in the following pages of this report.



Measurement time:	15:20
Frequency band	Percentage of the ICNIRP reference levels for general public exposure
87.5-108 MHz	0.00854
174-230 MHz	0.00975
470-694 MHz	0.02945
700 MHz	0.00166
800 MHz	0.01017
900 MHz	0.01669
1400 MHz	0.00038
1800 MHz	0.00050
1900 MHz	0.00017
2100 MHz	0.00450
2300 MHz	0.00036
2600 MHz TDD	0.00031
2600 MHz FDD	0.00013
3.4 GHz	0.00143
3.8 GHz	0.00347
Others	0.12060
Total	0.20812

Measurement time:	15:30
Frequency band	Percentage of the ICNIRP reference levels for general public exposure
87.5-108 MHz	0.00901
174-230 MHz	0.01043
470-694 MHz	0.02932
700 MHz	0.00148
800 MHz	0.00787
900 MHz	0.03568
1400 MHz	0.00041
1800 MHz	0.00062
1900 MHz	0.00018
2100 MHz	0.00218
2300 MHz	0.00040
2600 MHz TDD	0.00033
2600 MHz FDD	0.00015
3.4 GHz	0.00157
3.8 GHz	0.00379
Others	0.13014
Total	0.23354

Measurement time:	15:37
Frequency band	Percentage of the ICNIRP reference levels for general public exposure
87.5-108 MHz	0.00959
174-230 MHz	0.01079
470-694 MHz	0.02803
700 MHz	0.00595
800 MHz	0.13397
900 MHz	0.09156
1400 MHz	0.00042
1800 MHz	0.00066
1900 MHz	0.00019
2100 MHz	0.00160
2300 MHz	0.00041
2600 MHz TDD	0.00035
2600 MHz FDD	0.00015
3.4 GHz	0.00164
3.8 GHz	0.00400
Others	0.13676
Total	0.42607

Measurement time:	15:46
Frequency band	Percentage of the ICNIRP reference levels for general public exposure
87.5-108 MHz	0.00987
174-230 MHz	0.01131
470-694 MHz	0.01522
700 MHz	0.00349
800 MHz	0.02590
900 MHz	0.03176
1400 MHz	0.00044
1800 MHz	0.00062
1900 MHz	0.00019
2100 MHz	0.00559
2300 MHz	0.00043
2600 MHz TDD	0.00037
2600 MHz FDD	0.00016
3.4 GHz	0.00174
3.8 GHz	0.00420
Others	0.14210
Total	0.25338

Measurement time:	15:54
Frequency band	Percentage of the ICNIRP reference levels for general public exposure
87.5-108 MHz	0.01018
174-230 MHz	0.01165
470-694 MHz	0.02143
700 MHz	0.00657
800 MHz	0.06737
900 MHz	0.11431
1400 MHz	0.00045
1800 MHz	0.00063
1900 MHz	0.00020
2100 MHz	0.00170
2300 MHz	0.00044
2600 MHz TDD	0.00038
2600 MHz FDD	0.00017
3.4 GHz	0.00178
3.8 GHz	0.00433
Others	0.14657
Total	0.38815

Measurement time:	16:01
Frequency band	Percentage of the ICNIRP reference levels for general public exposure
87.5-108 MHz	0.01034
174-230 MHz	0.01174
470-694 MHz	0.03585
700 MHz	0.00193
800 MHz	0.01217
900 MHz	0.01605
1400 MHz	0.00046
1800 MHz	0.00060
1900 MHz	0.00020
2100 MHz	0.00410
2300 MHz	0.00045
2600 MHz TDD	0.00039
2600 MHz FDD	0.00017
3.4 GHz	0.00182
3.8 GHz	0.00440
Others	0.14796
Total	0.24864

Disclaimer: The results detailed in this report apply only to the tests made at the reported time, using the test equipment detailed. They do not indicate that on another date an identical set of results would be achieved, due to changes in local environmental conditions or other factors which may or may not have an effect on the measurement results obtained at that future time.