

ICNIRP Measurement Report

This report presents the results of measurements of electromagnetic field emission levels in the vicinity of mobile base stations. Results are presented as percentages of the power density reference levels for general public exposure in the 1998 edition of the Guidelines published by the International Commission on Non-Ionizing Radiation Protection (ICNIRP)¹, with figures provided for individual frequency bands used for base station (downlink) transmissions as well as an overall figure for all other frequency bands between 30 MHz to 6 GHz. The total percentage equals the sum of all individual percentages.

The power density reference levels in the ICNIRP Guidelines are the root mean square (rms) values averaged over six minutes. In this report, we have measured the average E-field strength over a six-minute period in each measurement location.

We have applied a measurement threshold of 3dB above the system noise floor² of the measurement equipment, below which any E-field strength levels measured are deemed not sufficiently above the system noise floor to be valid. In the results tables below, measurement results are shown to a precision of four decimal places. Results which are not sufficiently above the system noise floor to record as a valid measurement are shown as a dash (-). Results which are too small to register to four decimal places are shown as 0.0000%.

Date of Survey:	01/11/2024	Time Survey completed:	12:59
Survey address:	Rotherham S65		

Measurement equipment		Serial number	Calibration Date
Meter	Keysight Fieldfox N9915A Spectrum Analyser	MY56072593	26/02/2024
Probe	Agos Aria-6000 Antenna	6000-1024	30/03/2021
Cabling	1.7m cable	1383	12/11/2023

² The noise floor of the measurement equipment is the level of background noise that is present before detecting any external signals. In other words, it indicates the absolute minimum level of detectable signals.

¹ https://www.icnirp.org/cms/upload/publications/ICNIRPemfgdl.pdf

Broadcast bands covered by this report

Frequency Band	Frequency Range	Technology*
	87.5-108 MHz	FM Radio
	174-230 MHz	DAB
	470-694 MHz	Digital TV

Mobile bands covered by this report

Frequency Band	Frequency Range	Technology*
700 MHz	738-788 MHz	4G, 5G
800 MHz	791-821 MHz	4G
900 MHz	925-960 MHz	2G, 3G, 4G
1400 MHz	1452-1492 MHz	4G (Supplementary downlink)
1800 MHz	1805-1880 MHz	2G, 4G
1900 MHz	1900-1920 MHz	4G
2100 MHz	2110-2170 MHz	3G, 4G
2300 MHz	2350-2390 MHz	4G
2600 MHz TDD	2570-2620 MHz	4G
2600 MHz FDD	2620-2690 MHz	4G
3.4 GHz	3410-3680 MHz	5G, 4G
3.8 GHz	3680-4200 MHz	Various
Others**		

^{*} This is an indication of the type of technologies typically deployed in these bands; not all frequency bands and technologies may be in use at all locations. ** All other frequencies between 420 MHz and 6 GHz.

Survey locations

The survey was conducted within the area shown in the map below. Measurements were taken at six locations and are presented in the following pages of this report.



Measurement time:	11:56
Frequency band	Percentage of the ICNIRP reference levels for general public exposure
87.5-108 MHz	0.01013
174-230 MHz	0.01150
470-694 MHz	0.00905
700 MHz	0.00170
800 MHz	0.01034
900 MHz	0.00386
1400 MHz	0.00128
1800 MHz	0.00147
1900 MHz	0.00021
2100 MHz	0.00138
2300 MHz	0.00060
2600 MHz TDD	0.00041
2600 MHz FDD	0.00059
3.4 GHz	0.00267
3.8 GHz	0.00517
Others	0.15158
Total	0.21194

Measurement time:	12:07
Frequency band	Percentage of the ICNIRP reference levels for general public exposure
87.5-108 MHz	0.01057
174-230 MHz	0.01188
470-694 MHz	0.00951
700 MHz	0.00218
800 MHz	0.00554
900 MHz	0.00779
1400 MHz	0.00419
1800 MHz	0.00581
1900 MHz	0.00022
2100 MHz	0.00235
2300 MHz	0.00094
2600 MHz TDD	0.00043
2600 MHz FDD	0.00046
3.4 GHz	0.00318
3.8 GHz	0.00547
Others	0.15749
Total	0.22802

Measurement time:	12:17
Frequency band	Percentage of the ICNIRP reference levels for general public exposure
87.5-108 MHz	0.01115
174-230 MHz	0.01188
470-694 MHz	0.00924
700 MHz	0.01154
800 MHz	0.03171
900 MHz	0.01307
1400 MHz	0.00933
1800 MHz	0.01405
1900 MHz	0.00023
2100 MHz	0.01180
2300 MHz	0.00140
2600 MHz TDD	0.00044
2600 MHz FDD	0.00053
3.4 GHz	0.00332
3.8 GHz	0.00548
Others	0.15822
Total	0.29337

Measurement time:	12:28
Frequency band	Percentage of the ICNIRP reference levels for general public exposure
87.5-108 MHz	0.01076
174-230 MHz	0.01214
470-694 MHz	0.00936
700 MHz	0.00161
800 MHz	0.00229
900 MHz	0.00112
1400 MHz	0.00059
1800 MHz	0.00093
1900 MHz	0.00023
2100 MHz	0.00089
2300 MHz	0.00054
2600 MHz TDD	0.00044
2600 MHz FDD	0.00025
3.4 GHz	0.00247
3.8 GHz	0.00552
Others	0.16049
Total	0.20961

Measurement time:	12:40
Frequency band	Percentage of the ICNIRP reference levels for general public exposure
87.5-108 MHz	0.01108
174-230 MHz	0.01240
470-694 MHz	0.00975
700 MHz	0.00887
800 MHz	0.00716
900 MHz	0.00414
1400 MHz	0.00387
1800 MHz	0.01115
1900 MHz	0.00023
2100 MHz	0.00650
2300 MHz	0.00107
2600 MHz TDD	0.00045
2600 MHz FDD	0.00197
3.4 GHz	0.00407
3.8 GHz	0.00579
Others	0.16439
Total	0.25289

Measurement time:	12:53
Frequency band	Percentage of the ICNIRP reference levels for general public exposure
87.5-108 MHz	0.01109
174-230 MHz	0.01278
470-694 MHz	0.00981
700 MHz	0.00183
800 MHz	0.01071
900 MHz	0.00462
1400 MHz	0.00100
1800 MHz	0.00146
1900 MHz	0.00024
2100 MHz	0.00187
2300 MHz	0.00067
2600 MHz TDD	0.00046
2600 MHz FDD	0.00066
3.4 GHz	0.00289
3.8 GHz	0.00581
Others	0.16754
Total	0.23344

Disclaimer: The results detailed in this report apply only to the tests made at the reported time, using the test equipment detailed. They do not indicate that on another date an identical set of results would be achieved, due to changes in local environmental conditions or other factors which may or may not have an effect on the measurement results obtained at that future time.