

ICNIRP Measurement Report

This report presents the results of measurements of electromagnetic field emission levels in the vicinity of mobile base stations. Results are presented as percentages of the power density reference levels for general public exposure in the 1998 edition of the Guidelines published by the International Commission on Non-Ionizing Radiation Protection (ICNIRP)¹, with figures provided for individual frequency bands used for base station (downlink) transmissions as well as an overall figure for all other frequency bands between 30 MHz to 6 GHz. The total percentage equals the sum of all individual percentages.

The power density reference levels in the ICNIRP Guidelines are the root mean square (rms) values averaged over six minutes. In this report, we have measured the average E-field strength over a six-minute period in each measurement location.

We have applied a measurement threshold of 3dB above the system noise floor² of the measurement equipment, below which any E-field strength levels measured are deemed not sufficiently above the system noise floor to be valid. In the results tables below, measurement results are shown to a precision of four decimal places. Results which are not sufficiently above the system noise floor to record as a valid measurement are shown as a dash (-). Results which are too small to register to four decimal places are shown as 0.0000%.

Date of Survey:	03/09/2024	Time Survey completed:	13:58
Survey address:	Berwick on Tweed TD15		

Measurement equipment		Serial number	Calibration Date
Meter	Keysight Fieldfox N9915A Spectrum Analyser	MY50672594	02/11/2024
Probe	Agos Aria-6000 Antenna	6000-1024	30/03/2021
Cabling	1.7m cable	1383	12/11/2023

¹ <u>https://www.icnirp.org/cms/upload/publications/ICNIRPemfgdl.pdf</u>

² The noise floor of the measurement equipment is the level of background noise that is present before detecting any external signals. In other words, it indicates the absolute minimum level of detectable signals.

Broadcast bands covered by this report

Frequency Band	Frequency Range	Technology*
	87.5-108 MHz	FM Radio
	174-230 MHz	DAB
	470-694 MHz	Digital TV

Mobile bands covered by this report

Frequency Band	Frequency Range	Technology*
700 MHz	738-788 MHz	4G, 5G
800 MHz	791-821 MHz	4G
900 MHz	925-960 MHz	2G, 3G, 4G
1400 MHz	1452-1492 MHz	4G (Supplementary downlink)
1800 MHz	1805-1880 MHz	2G, 4G
1900 MHz	1900-1920 MHz	4G
2100 MHz	2110-2170 MHz	3G, 4G
2300 MHz	2350-2390 MHz	4G
2600 MHz TDD	2570-2620 MHz	4G
2600 MHz FDD	2620-2690 MHz	4G
3.4 GHz	3410-3680 MHz	5G, 4G
3.8 GHz	3680-4200 MHz	Various
Others**		

* This is an indication of the type of technologies typically deployed in these bands; not all frequency bands and technologies may be in use at all locations. ** All other frequencies between 420 MHz and 6 GHz.

Survey locations

The survey was conducted within the area shown in the map below. Measurements were taken at six locations and are presented in the following pages of this report.



Measurement time:	13:01
Frequency band	Percentage of the ICNIRP reference levels for general public exposure
87.5-108 MHz	0.34026
174-230 MHz	0.01269
470-694 MHz	0.00987
700 MHz	0.00427
800 MHz	0.01010
900 MHz	0.00192
1400 MHz	0.00048
1800 MHz	0.00590
1900 MHz	0.00023
2100 MHz	0.00223
2300 MHz	0.00053
2600 MHz TDD	0.00044
2600 MHz FDD	0.00108
3.4 GHz	0.00259
3.8 GHz	0.00604
Others	0.18057
Total	0.57921

Measurement time:	13:11
Frequency band	Percentage of the ICNIRP reference levels for general public exposure
87.5-108 MHz	0.09044
174-230 MHz	0.01266
470-694 MHz	0.00980
700 MHz	0.00258
800 MHz	0.00601
900 MHz	0.00271
1400 MHz	0.00048
1800 MHz	0.00114
1900 MHz	0.00023
2100 MHz	0.00101
2300 MHz	0.00053
2600 MHz TDD	0.00044
2600 MHz FDD	0.00041
3.4 GHz	0.00258
3.8 GHz	0.00606
Others	0.17236
Total	0.30944

Measurement time:	13:21
Frequency band	Percentage of the ICNIRP reference levels for general public exposure
87.5-108 MHz	0.03191
174-230 MHz	0.01266
470-694 MHz	0.00985
700 MHz	0.00227
800 MHz	0.00612
900 MHz	0.00110
1400 MHz	0.00048
1800 MHz	0.00087
1900 MHz	0.00023
2100 MHz	0.00086
2300 MHz	0.00053
2600 MHz TDD	0.00044
2600 MHz FDD	0.00037
3.4 GHz	0.00258
3.8 GHz	0.00604
Others	0.17298
Total	0.24928

Measurement time:	13:31
Frequency band	Percentage of the ICNIRP reference levels for general public exposure
87.5-108 MHz	0.01492
174-230 MHz	0.01273
470-694 MHz	0.00985
700 MHz	0.00312
800 MHz	0.00922
900 MHz	0.00167
1400 MHz	0.00048
1800 MHz	0.00153
1900 MHz	0.00023
2100 MHz	0.00088
2300 MHz	0.00052
2600 MHz TDD	0.00044
2600 MHz FDD	0.00025
3.4 GHz	0.00259
3.8 GHz	0.00606
Others	0.17359
Total	0.23808

Measurement time:	13:44
Frequency band	Percentage of the ICNIRP reference levels for general public exposure
87.5-108 MHz	0.02407
174-230 MHz	0.01276
470-694 MHz	0.01005
700 MHz	0.00267
800 MHz	0.00786
900 MHz	0.00269
1400 MHz	0.00049
1800 MHz	0.00179
1900 MHz	0.00023
2100 MHz	0.00110
2300 MHz	0.00053
2600 MHz TDD	0.00044
2600 MHz FDD	0.00067
3.4 GHz	0.00261
3.8 GHz	0.00605
Others	0.17413
Total	0.24812

Measurement time:	13:52
Frequency band	Percentage of the ICNIRP reference levels for general public exposure
87.5-108 MHz	0.01221
174-230 MHz	0.01278
470-694 MHz	0.00995
700 MHz	0.00708
800 MHz	0.02922
900 MHz	0.00523
1400 MHz	0.00048
1800 MHz	0.00130
1900 MHz	0.00023
2100 MHz	0.00073
2300 MHz	0.00053
2600 MHz TDD	0.00045
2600 MHz FDD	0.00036
3.4 GHz	0.00261
3.8 GHz	0.00610
Others	0.17504
Total	0.26430

Disclaimer: The results detailed in this report apply only to the tests made at the reported time, using the test equipment detailed. They do not indicate that on another date an identical set of results would be achieved, due to changes in local environmental conditions or other factors which may or may not have an effect on the measurement results obtained at that future time.